

POWERED BY:



COSMO
LIFT

FUTURE GENERATION
HOME LIFT

WHY CUSTOMER CHOOSE COSMO LIFTS

MEET OUR AFTER SALES TEAM

All our customers agree - the main reason to choose a Cosmo lift is not our cutting-edge products or our expert sales team - **It is the quality of our After Sales Services.**

As soon as you book your lift with us, you will be entrusted to our Customer Care team with your appointed representative. They will ensure that:

BEFORE INSTALLTION

- Liaising with your construction team to prepare site & delivery
- Checking that site is correctly prepared and ready for installation

AFTER INSTALLATION

- Checking that installation is in line with our strict quality standards
- Delivering handover and product training on how to use your lift

AND FOR THE DECADES TO COME

- Tracking and arranging timely maintenance
- Coordinating repairs, spares parts & fixes (if needed)
- Handling any customer request / upgrades and more!



So confident are we in the quality of our products that we offer a comprehensive warranty of products guarantee.

3 YEARS OF **FREE** WARRANTY 2 YEARS OF **FREE** MAINTENANCE

The only thing more stressful than buying a lift is probably worrying about repairs and problems.

With Cosmo, that worry does not exist.

We know that the quality of our materials, craftsmanship and installation creates a one of a kind lift that will last for decades.

In fact, we are even willing to guarantee it, with a free 3 year warranty for every single Cosmo Lift that we sell.

Welcome to a new level of worry free living.
Welcome to the Cosmo lift family!

Even more important than the warranty is the hidden cost of maintenance. With Cosmo, there are no hidden costs: we offer 2 years of maintenance for FREE to every single Cosmo Lift.

No last minute additions for labor or spare parts at Cosmo, we want to provide our customer with complete peace of mind.

Most importantly, a Cosmo maintenance is no small thing: we only use genuine Cosmo Technology products, included Cosmo Genuine High Performance Oil and Cosmo Universal Contact Spray, to ensure that your lift continues to operate smoothly for decades!



SPACE-SAVING TECHNOLOGY

NO MACHINE ROOM

A sleek, space-efficient design with no need for a machine room—ideal for modern homes.

AMNEO STEEL BELT TRACTION MACHINE

Driven by a cutting-edge steel belt traction system that ensures smooth, quiet, and energy-efficient operation.

ULTRA-PREMIUM QUALITY

Crafted with powdered aluminum and high-strength laminated glass, combining durability with sophisticated style.

CUSTOMIZE PATTERN LIGHTED ACRYLIC CAR BOARD

A modern accent with illuminated patterns that elevate the lift's ambiance and showcase your style.

TOUCHSCREEN COP & LOP

A seamless blend of technology and design—providing smooth, intuitive control with a modern aesthetic.

ALUMINUM ALLOY HANDRAIL

Elegantly crafted for comfort and stability, adding a touch of sophistication to every ride.

NO PIT

Zero pit requirement, allowing easy installation and seamless integration into any space.

ANTI-SLIP FLOORING

Combines safety and style with premium materials that ensure secure footing and refined appeal.






**CHOOSE YOUR TIER
ORION/NEBULA/ZENITH**

T2 ORION

CEILINGS



N800 STANDARD
Acrylic With Light



N800 STANDARD
Stainless Steel

FLOORING (WOVEN CRAFT)



GLASS SHAFT COLOR



• Matte White • White • Champagne Gold • Brown • Grey







• Rose Gold • Black Sand • Black • Silver

STANDARD LOP & COP



Static Wallpaper

LANDING DOOR



LED BOARD





ORION MODEL




T3 NEBULA

CEILING



K900 STANDARD
Black Water Ripple
With Light Strip



K900 STANDARD
White Acrylic


FLOORING (PVC)



CABIN FRAME SHAFT COLOR



STANDARD LOP & COP



Static Wallpaper

LANDING DOOR





NEBULA MODEL




T4 ZENITH

CEILING



K600 STANDARD
Black Water Ripple
With Light Strip



K600 STANDARD
White Acrylic


FLOORING (PVC)



WOOD CAR



LOP & COP



Static Wallpaper

LANDING DOOR






ZENITH MODEL

STANDARD WOOD CAR



OPTIONAL STAINLESS STEEL CAR




A NEW TYPE OF COP

TOUCH SCREEN LUXURY



CHANGE WALLPAPER AND CUSTOMIZED LOGO



Emergency Call Function

INTEGRATED MUSIC

ALARM BUTTON

Hydraulic Home Lift

Focus On Home Elevators



HYDRAULIC HOME LIFT

Make your living
more comfortable



Hydraulic home lift can be installed without pit and without shaft, it's the most suitable model for small installation space, we have many different designs to match with your house decoration.



Hydraulic Home Lift



Small Installation
Space



Decor Can Be
Customized



Multiple Security
Mechanisms

Small Installation Space



$\geq 1\text{m}^2$
LW1000*LD1000

$\geq 2.2\text{m}$
Top floor height

Hydraulic home lift can be installed without pit and without shaft, it's the most suitable model for small installation space, we have many different designs to match with your house decoration.



Decor Can Be Customized

"MAKE YOUR
ELEVATOR
UNIQUE AND UNIQUE"



we not only focus on providing high-quality hydraulic elevators, but also provide customers with customized car interior decoration services.

Ceiling

Car Wall

Integrated Control Box

Car Door

Floor




We are well aware of the importance of car interior decoration in increasing comfort and beauty, so we provide each customer with personalized design solutions to make your elevator unique and show your personality and taste.

Multiple Security Mechanisms



High quality component

We are committed to providing our customers with safe and reliable hydraulic elevators. We insist on selecting high-quality accessories and materials, ensuring that each elevator undergoes rigorous testing and quality control to meet your needs and expectations.



Hydraulic elevator control cabinet



Super Silence Pump Station

This model has the advantages of high efficiency and stability, energy saving and environmental protection, silence and durability, and convenient operation and maintenance. It ensures the safe operation and riding comfort of the elevator.



Hot galvanizing structure

The hot galvanizing structure of the elevator has the advantages of strong anti-corrosion, strong durability, stable quality and good aesthetics, which enables the elevator to maintain a long life under various environmental conditions while improving its appearance quality and performance stability.




Our standard 2.2/3KW pump station uses a 4KW inverter. The 3.75KW pump station matches the 5.5KW inverter with excess capacity and configures the elevator to have stronger upward power and lower failure rate.



Use the main control board to replace the original various electrical components. The main control board has a high degree of integration and more stable operation.




This control cabinet is wired for internal use. The minimum diameter of the national standard wire control wire is 0.75, with better conductivity and lower failure rate.



Distribution box wiring harness plug-in, supporting internal and external calls, all internal and external calls are shortcut plugs, no wiring is required, just plug in. Make the operation more precise and safe.

07/08



Light Curtain Protection

Light curtain protection can promptly detect objects entering the elevator door area to avoid pinch accidents, protect passenger safety, and improve comfort and convenience.



Safety gear

Safety gear ensures elevator safety, with quick triggering, multiple protections and wide applicability.



UPS

UPS provides stable backup power, in case of power failure or wires breakdown, it will help you get out of the elevator.



Speed limiter

Speed limiter ensures passenger safety, avoid elevator speeding, stop in time, prevent accidents, and protect elevator equipment and building structures.



Bottom safety sensor

The bottom sensor will stop the elevator once it touches any obstacle, it can protect the pets and people that get under the elevator by mistake.


Hydraulic Home Lift


Focus On Home Elevators

STANDARD CONFIGURATION







Focus on
home elevators






Standard Car Etching Panel





Standard
Car Ceiling



Standard
Car Floor



Car Examples





Hydraulic Home Lift



LED Board



LED Ceiling



15/16

Hydraulic Home Lift

Focus On Home Elevators

Hydraulic Home Lift



COP & LOP



Special car decoration

Black titanium
stainless steel and wood color.



Optional Swing Door



Automatic
Double Swing Door

Automatic Single Swing Door Or
Handle hidden manual door

Handle type manual

Hydraulic Home Lift


Focus On Home Elevators



Glass
Shaft



Color Options



Glass Color Options



Brown



Gray



Blue



Transparent













Frosted




Wavy grain

Hydraulic Home Lift



Shaft requirement

Hydraulic home lift is shaftless model, customers can build shaft by the mselves, purchase glass shaft from us, or choose without shaft.



21/22

Hydraulic Drive System

Name	Model	Material
Electric Machinery	2.2kw-3.75kw50Hz Leakage Protection	Silent Variable Frequency Motor
Hydraulic Pump	Overload Protection Emergency Descent	Component Material
Hydraulic Cylinder	Hsg70/50/1.0t	Bore 70
High Pressure Oil Pipe	2-12-40mpa	3 Layers Of Steel Wire+special Rubber
Hydraulic Oil	High Wear Resistant 32# Hydraulic Oil	32# Hydraulic Oil
Coupling	Conventional Parts	Component Material
Relief Valve	Conventional Parts	Component Material
Throttle Valve	Conventional Parts	Component Material
Sealing Element	Nok Ryt	Silicon Rubber
No Setback Proportional Valve	Hydraforce Electro-hydraulic Proportional Valve	Solenoid Valve
Combined Pad	Nok Combination Pad 61-80	Metal Pad And Rubber

Electric Control System

Name	Model
Control Box	400-500-200
Frequency Converter	200m-004g1b-jt
Main Control Board	Thzg-03
Circuit Breaker	Dz47sn2c32
Guide Rail Socket	Dz47x510
Power	S-200-24
Safety Seat	RT18-32x
Control Line	Rv0.75 Rv0.1.5 Rv2.5
Repeater Relay	Rj2s-c1-d24
Repeater Relay	Jqx-13fDj/2z
Terminal Block	Tb-2503
Terminal	SV2-4
U-shaped Guide Rail	Conventional Parts
Fuse	Ro15
Ups	Vd600a

Lifting System

Name	Model	Material
Countertop Panel	4mm Checkered Plate	45#steel
Table Frame	50x50x4rectangular Tube	45#steel
Guide Rail Frame	40x40x4rectangulartube	45#steel
Equipment Track	t75 Special Passenger Elevator Track	Tsection Steel
Axle Sleeve	φ100x15mmseamless Pipe	45#steel
Bearing	nsk6205bearing	6205
Guide Shoe	special Roller Guide Shoe For Passenger Elevator	45#steel
Support Tube	φ80x7.5mmseamless Pipe	45#steel
Guide Beam	120x60x4mmrectangular Tube	Q235c
Auxiliary Support	80x40x4mmrectangular Tube	Q235c
Boot Lining	reinforced Boot Lining	High Wearresistant Nylon
Lifting Frame	high Strength Lifting Frame Factory Equipped	10mmthick45#steel
Steel Strip	12core Steel Strip	High Wear Resistant Rubber + Steel Core
Wire Rope	8x19s+nf-8mm	Special Steel Core For Elevator
Sprocket	0120round Steel And Bearing	45#steel
Cylinder Lug	12mmsteel Plate	45#steel

Other Configurations

NAME	MODEL	MATERIA L
Car rear wall	Stainless steel plate	304 stainless steel
Car side wall	Stainless steel /aluminum alloy tempered glass	304 stainless steel
Lift car	Stainless steel plate	304 stainless steel
Car folding door	Aluminum alloy /tempered glass	1.8mm aluminum alloy
Landing door manual door	Aluminum alloy+5mm tempered glass	2.2-3.5mm aluminum alloy
Landing door electric double opening	Aluminum alloy+5mm tempered glass	2.2-3.5mm aluminum alloy
Backplane	Etched stainless steel checkered plate	Mirror /etching treatment
Safety light curtain	917B71	154 harness
lighting	2.5cuntled lighting-GW	LED lighting
Aluminum alloy sightseeing shaft	2.2mm/3.5mm high strength aluminum profile	2.2mm/3.5mm aluminum profile

Gearless Traction Machine



Energy-saving

Low heat loss, operating costs and minimum working efficiency up to 95%. Traditional savings of 40% compared with conventional technology.

Smooth running

High precision manufacturing, running smoothly and comfortable. Combined with precise speed control and fully controlled closed loop VVVF drive system, it can make the stop and level very smooth and accurate.

Stable and durable

We adopt strict design standards and we use a minimum number of moving parts to ensure the elevator stability and continuity.


Environmental protection

Because the gearless tractor does not need complex lubrication system, it completely solves the problem of environmental pollution caused by the oil leakage of the traditional tractor and meets the requirements of maintenance free and environmental protection of the motor.

Multiple Security Mechanisms




We are committed to providing our customers with safe and reliable elevators. We insist on selecting high-quality accessories and materials, we ensure that each elevator will be under testing and quality control to meet your needs and expectations.



Door Machine

It adopts permanent magnet synchronous motor, fully closed-loop servo control technology, high efficiency, energy saving and environmental protection. It adopts integrated car door lock knife (OMS106) to truly realize the synchronous opening and closing of the hall car door.



Light Curtain Protection

Light curtain protection can promptly detect objects entering the elevator door area to avoid pinch accidents, protect passenger safety, and improve comfort and convenience.

POWERED BY:  KIRA

 COSMO
LIFT

COSMO LIFT PHILIPPINES

(0) 917 630 1284